

Weekly Interim Report New Zealand


ESR

Week Ending 02 June 2024

Low levels of respiratory illness activity. Fever, cough and absence from normal duties was reported by 1.2% participants

(FluTracking is an online self-reporting respiratory illness surveillance system. Care should be taken when interpreting this report)

FIGURE 1. FLUTRACKING FEVER AND COUGH SYMPTOMS



This survey was sent on 03 June 2024 01:01 AM and by 06 June 2024 08:30 am we had received 32,865 responses (32,165 last week) from 20,714 people responding for themselves and 12,151 household members across New Zealand.

Across New Zealand, fever AND cough was reported by 1.8% of participants. Fever, cough and absence from normal duties was reported by 1.2% participants. fever AND cough was reported by 6.2% of participants aged less than 5 years, 3.5% of participants aged 5-17 years, 2% of participants aged 18-64 years, and 1.2% of participants aged 65 years or older.

The data presented here should not be treated as authoritative and should always be interpreted together with other trusted sources from the [New Zealand Influenza Intelligence Report](#)





FIGURE 3. FLUTRACKING FEVER AND COUGH SYMPTOMS BY INFLUENZA VACCINATION STATUS



Contact the Flutracking Team: flutracking.nz@esr.cri.nz To join the survey or find out more information:
info.flutracking.net