

Weekly Interim Report New Zealand


ESR

Week Ending 23 June 2024

Low levels of respiratory illness activity. Fever, cough and absence from normal duties was reported by 1.2% participants

(FluTracking is an online self-reporting respiratory illness surveillance system. Care should be taken when interpreting this report)

FIGURE 1. FLUTRACKING FEVER AND COUGH SYMPTOMS



This survey was sent on 24 June 2024 01:01 AM and by 27 June 2024 08:30 am we had received 33,900 responses (34,047 last week) from 21,495 people responding for themselves and 12,405 household members across New Zealand.

Across New Zealand, fever AND cough was reported by 1.6% of participants. Fever, cough and absence from normal duties was reported by 1.2% participants. fever AND cough was reported by 9.1% of participants aged less than 5 years, 3.5% of participants aged 5-17 years, 1.7% of participants aged 18-64 years, and 1% of participants aged 65 years or older.

The data presented here should not be treated as authoritative and should always be interpreted together with other trusted sources from the [New Zealand Influenza Intelligence Report](#)

TABLE 1. RESPONDENT NUMBERS BY JURISDICTION

Jurisdiction	Respondents	Percentage
North Island	24,524	72.3%
South Island	9,376	27.7%
New Zealand	33,900	100%

TABLE 2. SELF-REPORTED COVID-19 AND INFLUENZA TESTING

	Week Ending	
(% of fever and cough)	16 June 2024	23 June 2024
Tested for influenza	28 (5.4%)	16 (3%)
Result positive for influenza	16 (3.1%)	3 (0.6%)
Tested for COVID-19	407 (79.2%)	408 (75.3%)
Result positive for COVID-19	158 (30.7%)	136 (25.1%)

FIGURE 2. FLUTRACKING FEVER AND COUGH SYMPTOMS BY AGE GROUP





FIGURE 3. FLUTRACKING FEVER AND COUGH SYMPTOMS BY INFLUENZA VACCINATION STATUS



Contact the Flutracking Team: flutracking.nz@esr.cri.nz To join the survey or find out more information:
info.flutracking.net