

Weekly Interim Report New Zealand


ESR

Week Ending 30 June 2024

Low levels of respiratory illness activity. Fever, cough and absence from normal duties was reported by 1.2% participants

(FluTracking is an online self-reporting respiratory illness surveillance system. Care should be taken when interpreting this report)

FIGURE 1. FLUTRACKING FEVER AND COUGH SYMPTOMS



This survey was sent on 01 July 2024 01:01 AM and by 04 July 2024 08:30 am we had received 33,541 responses (33,865 last week) from 21,291 people responding for themselves and 12,250 household members across New Zealand.

Across New Zealand, fever AND cough was reported by 1.6% of participants. Fever, cough and absence from normal duties was reported by 1.2% participants. fever AND cough was reported by 5.9% of participants aged less than 5 years, 4.2% of participants aged 5-17 years, 1.7% of participants aged 18-64 years, and 0.9% of participants aged 65 years or older.

The data presented here should not be treated as authoritative and should always be interpreted together with other trusted sources from the [New Zealand Influenza Intelligence Report](#)

TABLE 1. RESPONDENT NUMBERS BY JURISDICTION

Jurisdiction	Respondents	Percentage
North Island	24,314	72.5%
South Island	9,227	27.5%
New Zealand	33,541	100%

TABLE 2. SELF-REPORTED COVID-19 AND INFLUENZA TESTING

	Week Ending	
(% of fever and cough)	23 June 2024	30 June 2024
Tested for influenza	24 (4.4%)	14 (2.6%)
Result positive for influenza	4 (0.7%)	9 (1.7%)
Tested for COVID-19	428 (79%)	359 (66.4%)
Result positive for COVID-19	146 (26.9%)	125 (23.1%)

FIGURE 2. FLUTRACKING FEVER AND COUGH SYMPTOMS BY AGE GROUP





FIGURE 3. FLUTRACKING FEVER AND COUGH SYMPTOMS BY INFLUENZA VACCINATION STATUS



Contact the Flutracking Team: flutracking.nz@esr.cri.nz To join the survey or find out more information:
info.flutracking.net