

Weekly Interim Report New Zealand


ESR

Week Ending 04 August 2024

Low levels of respiratory illness activity. Fever, cough and absence from normal duties was reported by 1% participants

(FluTracking is an online self-reporting respiratory illness surveillance system. Care should be taken when interpreting this report)

FIGURE 1. FLUTRACKING FEVER AND COUGH SYMPTOMS



This survey was sent on 05 August 2024 01:01 AM and by 08 August 2024 08:30 am we had received 33,081 responses (33,208 last week) from 21,050 people responding for themselves and 12,031 household members across New Zealand.

Across New Zealand, fever AND cough was reported by 1.4% of participants. Fever, cough and absence from normal duties was reported by 1% participants. fever AND cough was reported by 9.4% of participants aged less than 5 years, 3.2% of participants aged 5-17 years, 1.5% of participants aged 18-64 years, and 0.8% of participants aged 65 years or older.

The data presented here should not be treated as authoritative and should always be interpreted together with other trusted sources from the [New Zealand Influenza Intelligence Report](#)

TABLE 1. RESPONDENT NUMBERS BY JURISDICTION

Jurisdiction	Respondents	Percentage
North Island	23,965	72.4%
South Island	9,116	27.6%
New Zealand	33,081	100%

TABLE 2. SELF-REPORTED COVID-19 AND INFLUENZA TESTING

(% of fever and cough)	Week Ending	
	28 July 2024	04 August 2024
Tested for influenza	28 (6.2%)	32 (7%)
Result positive for influenza	12 (2.6%)	8 (1.8%)
Tested for COVID-19	296 (65.1%)	260 (57.1%)
Result positive for COVID-19	61 (13.4%)	48 (10.5%)

FIGURE 2. FLUTRACKING FEVER AND COUGH SYMPTOMS BY AGE GROUP





FIGURE 3. FLUTRACKING FEVER AND COUGH SYMPTOMS BY INFLUENZA VACCINATION STATUS



Contact the Flutracking Team: flutracking.nz@esr.cri.nz To join the survey or find out more information:
info.flutracking.net