

Weekly Interim Report New Zealand


ESR

Week Ending 22 June 2025

Low levels of respiratory illness activity. Fever, cough and absence from normal duties was reported by 0.9% participants

(FluTracking is an online self-reporting respiratory illness surveillance system. Care should be taken when interpreting this report)

FIGURE 1. FLUTRACKING FEVER AND COUGH SYMPTOMS



This survey was sent on 23 June 2025 01:01 AM and by 25 June 2025 03:00 pm we had received 31,092 responses (30,864 last week) from 20,169 people responding for themselves and 10,923 household members across New Zealand.

Across New Zealand, fever AND cough was reported by 1.3% of participants. Fever, cough and absence from normal duties was reported by 0.9% participants. Fever AND cough was reported by 6% of participants aged less than 5 years, 3.6% of participants aged 5-17 years, 1.4% of participants aged 18-64 years, and 0.7% of participants aged 65 years or older.

The data presented here should not be treated as authoritative and should always be interpreted together with other trusted sources from the [New Zealand Influenza Intelligence Report](#)


TABLE 1. RESPONDENT NUMBERS BY JURISDICTION

Jurisdiction	Respondents	Percentage
North Island	22,431	72.1%
South Island	8,661	27.9%
New Zealand	31,092	100%

TABLE 2. SELF-REPORTED COVID-19 AND INFLUENZA TESTING


	Week Ending	
(% of fever and cough)	15 June 2025	22 June 2025
Tested for influenza	46 (14.6%)	41 (10.3%)
Result positive for influenza	15 (4.8%)	14 (3.5%)
Tested for COVID-19	170 (54%)	199 (50%)
Result positive for COVID-19	51 (16.2%)	65 (16.3%)

FIGURE 2. FLUTRACKING FEVER AND COUGH SYMPTOMS BY AGE GROUP



n = number of participants for current week

FIGURE 3. FLUTRACKING FEVER AND COUGH SYMPTOMS BY INFLUENZA VACCINATION STATUS



Contact the Flutracking Team: flutracking.nz@esr.cri.nz To join the survey or find out more information:
info.flutracking.net