

Weekly Interim Report New Zealand


PHF Science

Week Ending 29 June 2025

Low levels of respiratory illness activity. Fever, cough and absence from normal duties was reported by 0.9% participants

(FluTracking is an online self-reporting respiratory illness surveillance system. Care should be taken when interpreting this report)

FIGURE 1. FLUTRACKING FEVER AND COUGH SYMPTOMS



This survey was sent on 30 June 2025 01:01 AM and by 02 July 2025 03:00 pm we had received 30,772 responses (30,848 last week) from 19,954 people responding for themselves and 10,818 household members across New Zealand.

Across New Zealand, fever AND cough was reported by 1.4% of participants. Fever, cough and absence from normal duties was reported by 0.9% participants. Fever AND cough was reported by 7.8% of participants aged less than 5 years, 2.7% of participants aged 5-17 years, 1.6% of participants aged 18-64 years, and 0.8% of participants aged 65 years or older.

The data presented here should not be treated as authoritative and should always be interpreted together with other trusted sources from the [New Zealand Influenza Intelligence Report](#)


TABLE 1. RESPONDENT NUMBERS BY JURISDICTION

Jurisdiction	Respondents	Percentage
North Island	22,236	72.3%
South Island	8,536	27.7%
New Zealand	30,772	100%

TABLE 2. SELF-REPORTED COVID-19 AND INFLUENZA TESTING


	Week Ending	
(% of fever and cough)	22 June 2025	29 June 2025
Tested for influenza	46 (11.7%)	38 (9%)
Result positive for influenza	18 (4.6%)	15 (3.5%)
Tested for COVID-19	210 (53.3%)	193 (45.6%)
Result positive for COVID-19	68 (17.3%)	38 (9%)

FIGURE 2. FLUTRACKING FEVER AND COUGH SYMPTOMS BY AGE GROUP



n = number of participants for current week

FIGURE 3. FLUTRACKING FEVER AND COUGH SYMPTOMS BY INFLUENZA VACCINATION STATUS



Contact the Flutracking Team: flutracking.nz@phfscience.nz To join the survey or find out more information: info.flutracking.net