

Weekly Interim Report New Zealand


ESR

Week Ending 06 July 2025

Low levels of respiratory illness activity. Fever, cough and absence from normal duties was reported by 0.8% participants

(FluTracking is an online self-reporting respiratory illness surveillance system. Care should be taken when interpreting this report)

FIGURE 1. FLUTRACKING FEVER AND COUGH SYMPTOMS



This survey was sent on 07 July 2025 01:01 AM and by 09 July 2025 03:00 pm we had received 30,311 responses (30,518 last week) from 19,719 people responding for themselves and 10,592 household members across New Zealand.

Across New Zealand, fever AND cough was reported by 1.2% of participants. Fever, cough and absence from normal duties was reported by 0.8% participants. Fever AND cough was reported by 8% of participants aged less than 5 years, 2.9% of participants aged 5-17 years, 1.4% of participants aged 18-64 years, and 0.7% of participants aged 65 years or older.

The data presented here should not be treated as authoritative and should always be interpreted together with other trusted sources from the [New Zealand Influenza Intelligence Report](#)

TABLE 1. RESPONDENT NUMBERS BY JURISDICTION

Jurisdiction	Respondents	Percentage
North Island	21,799	71.9%
South Island	8,512	28.1%
New Zealand	30,311	100%

TABLE 2. SELF-REPORTED COVID-19 AND INFLUENZA TESTING

	Week Ending	
(% of fever and cough)	29 June 2025	06 July 2025
Tested for influenza	45 (10.7%)	37 (9.8%)
Result positive for influenza	18 (4.3%)	12 (3.2%)
Tested for COVID-19	202 (48.2%)	175 (46.5%)
Result positive for COVID-19	42 (10%)	31 (8.2%)

FIGURE 2. FLUTRACKING FEVER AND COUGH SYMPTOMS BY AGE GROUP





FIGURE 3. FLUTRACKING FEVER AND COUGH SYMPTOMS BY INFLUENZA VACCINATION STATUS



Contact the Flutracking Team: flutracking.nz@esr.cri.nz To join the survey or find out more information: info.flutracking.net