

Weekly Interim Report New Zealand


ESR

Week Ending 13 July 2025

Low levels of respiratory illness activity. Fever, cough and absence from normal duties was reported by 0.8% participants

(FluTracking is an online self-reporting respiratory illness surveillance system. Care should be taken when interpreting this report)

FIGURE 1. FLUTRACKING FEVER AND COUGH SYMPTOMS



This survey was sent on 14 July 2025 01:01 AM and by 16 July 2025 03:00 pm we had received 30,993 responses (30,311 last week) from 20,082 people responding for themselves and 10,911 household members across New Zealand.

Across New Zealand, fever AND cough was reported by 1.2% of participants. Fever, cough and absence from normal duties was reported by 0.8% participants. Fever AND cough was reported by 5.8% of participants aged less than 5 years, 1.6% of participants aged 5-17 years, 1.5% of participants aged 18-64 years, and 0.7% of participants aged 65 years or older.

The data presented here should not be treated as authoritative and should always be interpreted together with other trusted sources from the [New Zealand Influenza Intelligence Report](#)


TABLE 1. RESPONDENT NUMBERS BY JURISDICTION

Jurisdiction	Respondents	Percentage
North Island	22,269	71.9%
South Island	8,724	28.1%
New Zealand	30,993	100%

TABLE 2. SELF-REPORTED COVID-19 AND INFLUENZA TESTING


	Week Ending	
(% of fever and cough)	06 July 2025	13 July 2025
Tested for influenza	43 (11.4%)	46 (12.7%)
Result positive for influenza	13 (3.5%)	14 (3.9%)
Tested for COVID-19	188 (50%)	174 (47.9%)
Result positive for COVID-19	33 (8.8%)	36 (9.9%)

FIGURE 2. FLUTRACKING FEVER AND COUGH SYMPTOMS BY AGE GROUP



n = number of participants for current week

FIGURE 3. FLUTRACKING FEVER AND COUGH SYMPTOMS BY INFLUENZA VACCINATION STATUS



Contact the Flutracking Team: flutracking.nz@esr.cri.nz To join the survey or find out more information: info.flutracking.net