

Weekly Interim Report New Zealand


ESR

Week Ending 20 July 2025

Low levels of respiratory illness activity. Fever, cough and absence from normal duties was reported by 0.7% participants

(FluTracking is an online self-reporting respiratory illness surveillance system. Care should be taken when interpreting this report)

FIGURE 1. FLUTRACKING FEVER AND COUGH SYMPTOMS



This survey was sent on 21 July 2025 01:01 AM and by 23 July 2025 03:00 pm we had received 30,831 responses (30,736 last week) from 20,019 people responding for themselves and 10,812 household members across New Zealand.

Across New Zealand, fever AND cough was reported by 1% of participants. Fever, cough and absence from normal duties was reported by 0.7% participants. Fever AND cough was reported by 7.8% of participants aged less than 5 years, 1.9% of participants aged 5-17 years, 1% of participants aged 18-64 years, and 0.7% of participants aged 65 years or older.

The data presented here should not be treated as authoritative and should always be interpreted together with other trusted sources from the [New Zealand Influenza Intelligence Report](#)

TABLE 1. RESPONDENT NUMBERS BY JURISDICTION

Jurisdiction	Respondents	Percentage
North Island	22,222	72.1%
South Island	8,609	27.9%
New Zealand	30,831	100%

TABLE 2. SELF-REPORTED COVID-19 AND INFLUENZA TESTING

	Week Ending	
(% of fever and cough)	13 July 2025	20 July 2025
Tested for influenza	49 (13.6%)	50 (16.7%)
Result positive for influenza	14 (3.9%)	23 (7.7%)
Tested for COVID-19	180 (50.1%)	147 (49%)
Result positive for COVID-19	36 (10%)	32 (10.7%)

FIGURE 2. FLUTRACKING FEVER AND COUGH SYMPTOMS BY AGE GROUP





FIGURE 3. FLUTRACKING FEVER AND COUGH SYMPTOMS BY INFLUENZA VACCINATION STATUS



Contact the Flutracking Team: flutracking.nz@esr.cri.nz To join the survey or find out more information: info.flutracking.net